

**AIC Dermatology****Fax: 833-808-0833****Patient Information**

Patient Name: _____ DOB: _____ Height: _____ Weight: _____ Patient Contact #: _____

Medical Assessment

- **Diagnosis:** ☐ L40.1 Generalized Pustular Psoriasis ☐ L40.8 Plaque Psoriasis ☐ L40.50 Psoriatic Arthritis ☐ Other: _____
- **Drug Allergies:** _____
- **Failed Medications:** When _____ ☐ Soriatane ☐ MTX _____ ☐ Biologics _____
☐ PUVA / UVB _____ ☐ Topicals _____ ☐ Other _____
- **Negative TB Skin Test (PPD Test):** ☐ Yes ☐ No When: _____ (Please Attach)
- **Location:** % BSA: _____ ☐ Hands ☐ Feet ☐ Scalp ☐ Groin ☐ Nails ☐ Other: _____

****Please include a demographics page, front and back of an insurance card, any clinical notes with supporting diagnosis, lab-work, tests, and any other supporting documentation including past tried and / or failed therapies associated with diagnosis****

Labwork: _____ To be Drawn by: Infusion Clinic Referring Provider**Pre-Medication Orders:**

- ☐ APAP ☐ 325mg ☐ 500mg ☐ 650mg - PO 30 minutes before infusion.
- ☐ Diphenhydramine ☐ 25mg ☐ 50mg – PO 30 minutes before infusion OR ☐ 25mg IVP ☐ 50mg IVP
- ☐ Alternate Oral Antihistamines: ☐ Cetirizine 10mg ☐ Loratadine 10mg ☐ Fexofenadine 60mg or ☐ 180mg
- ☐ Methylprednisolone ☐ 40mg IVP ☐ 125mg IVP or other _____ mg IVP
- ☐ Famotidine ☐ 20mg PO ☐ 40mg PO ☐ 20mg IVP ☐ 40mg IVP
- ☐ Ondansetron ☐ 4 mg IVP ☐ 4 mg PO

Medication**Cimzia (certolizumab pegol) – AIC / HCP office administration injection only**

Dosage / Frequency:

- ☐
- 400mg SC injection every other week OR _____ Maintenance Refills: _____

Infliximab (Remicade & Biosimilars)

- ☐ **Preferred - Infusion Clinic Preference (Remicade / Avsola / Renflexis) based on payer directives / availability.)**
- ☐ **Specific Product:** _____

Dosage (choose one): 5 mg /kg OR _____mg or _____mg / kg

Frequency:

- ☐ Induction dose at weeks 0, 2, and 6
- ☐ Maintenance: (choose one) _____every 8 weeks OR every _____ Maintenance Refills: _____

Ilumya (tildrakizumab-asmn) - AIC / HCP office administration injection only

Dosage / Frequency:

- ☐ Induction: 100mg at week 0 and 4
- ☐ Maintenance: 100 mg at week 16 and every 12 weeks thereafter Maintenance Refills: _____

Simponi Aria (golimumab)

Dosage / Frequency:

- ☐ Induction: 80 mg IV at weeks 0 and 4
- ☐ Maintenance: 80 mg IV at week 12 and every 8 weeks thereafter Maintenance Refills: _____
- ☐ Other: _____

Spevigo (spesolimab-sbzo)

Dosage / Frequency:

- ☐ 600 mg SQ on week 0 then 300 mg SQ on week 4 and every 4 weeks thereafter
- ☐ 900 mg IV infusion as a single dose Maintenance Refills: _____

Tremfya (guselkumab)

Dosage/Frequency:

- ☐
- 100mg SC at weeks 0, 4, and every 8 weeks thereafter Maintenance Refills: _____

Physician Prescription Orders

Address: _____ Phone: _____

Fax: _____ Clinic Contact: _____ Physician Name: _____

NPI # _____ Physician Signature: _____ Date: _____